


Half Square Triangle Units

Combine the following fabric squares to form Half Square Triangle Units (HST units) using the method outlined below:

16 Fabric C squares (5" x 5") and 16 Fabric D squares (5" x 5") to form 32 C/D HST Units (4 1/2" x 4 1/2").

12 Fabric C squares (5" x 5") and 12 Fabric E squares (5" x 5") to form 24 C/E HST Units (4 1/2" x 4 1/2").


- Place the squares (5" x 5") right sides together. Draw a diagonal line using a removable marking device on the back of the lighter square (shown as the solid line).
- Sew 1/4" on either side of the solid line (shown as the dotted lines). Cut on the solid line and press seams open or toward the darker fabric.
- Trim each HST unit to (4 1/2" x 4 1/2").
- Repeat to form 32 C/D HST Units and 24 C/E HST Units (4 1/2" x 4 1/2").



Block 6

Arrange and sew together the following fabric pieces as listed and shown below, pressing all seams open. Block 6 should measure 12 1/2" x 12 1/2". Repeat to form a total of 4 blocks.

8 C/D HST (4 1/2" x 4 1/2")
1 Fabric D square (4 1/2" x 4 1/2")



Hourglass Units and Half Hourglass Units

1. HALF SQUARE TRIANGLE UNITS

Combine the following fabric pieces to form HST units using the HST instructions shown previously:

- 4 Fabric B squares (5 ½" x 5 ½") and 4 Fabric D squares (5 ½" x 5 ½") to form 8 B/D HST Units (5" x 5" approx.).
- 8 Fabric B squares (5 ½" x 5 ½") and 8 Fabric E squares (5 ½" x 5 ½") to form 16 B/E HST Units (5" x 5" approx.).
- 2 Fabric C squares (5 ½" x 5 ½") and 2 Fabric E squares (5 ½" x 5 ½") to form 4 C/E HST Units (5" x 5" approx.).

Do **NOT** trim the HST Units at this point.

(There is no need to trim these HST Units as they are just intermediate units to be used in making the half and full hourglass units below. The half and full hourglass units will be trimmed when complete. In the directions below, the HST will be marked with a size of 5" x 5" approx. as they are not trimmed.)

2. HALF HOURGLASS UNITS




Combine the following fabric pieces to form the Half Hourglass Units using the method outlined below:

- 8 B/D HST Units (5" x 5" approx.) and 8 Fabric D squares (5" x 5") to form 16 B/D Half Hourglass Units (4 ½" x 4 ½").
- 14 B/E HST Units (5" x 5" approx.) and 14 Fabric E squares (5" x 5") to form 28 B/E Half Hourglass Units (4 ½" x 4 ½").
- 2 C/E HST Units (5" x 5" approx.) and 2 Fabric E squares (5" x 5") to form 4 C/E Half Hourglass Units (4 ½" x 4 ½").

- Place a HST Unit (5" x 5" approx.) and a fabric square (5" x 5") right sides together. Draw a diagonal line using a removable marking device on the back of the HST Unit (shown as the solid line) perpendicular to the seam.
- Sew ¼" on both sides of the solid line (shown as the dotted lines). Cut on the solid line and press seams open.
- Trim half hourglass blocks to 4 ½" x 4 ½".

Notes: Each set of one square and one HST Unit will yield two half hourglass blocks.

Do not worry about the orientation of the seam within the D and E fabrics in the half hourglass units.



3. FULL HOURGLASS BLOCKS

Combine the following fabric pieces to form the Full Hourglass Units using the method outlined below:

2 B/E HST Units (5" x 5" approx.) and 2 C/E HST Units (about 5" x 5") to form 4 B/C/E Full Hourglass Units (4 ½" x 4 ½").

- Place a B/E HST Unit (5" x 5" approx.) and a C/E HST Unit (5" x 5" approx.) right sides together such that the seams on the HST Units are aligned (and the E fabrics are on opposite sides of the seam from one another). Draw a diagonal line using a removable marking device on the back of the one of the HST Units (shown as the solid line) perpendicular to the seam of that HST Unit.
- Sew ¼" on both sides of the solid line (shown as the dotted lines). Cut on the solid line and press seams open.
- Trim full hourglass blocks to 4 ½" x 4 ½". *Note: each set of two HST Units will yield two full hourglass blocks.*

